Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1789	(((257/81,83,84,91,95,98,99,100, 275,347,428) or (385/14,31-38, 49,88,89,92,94)).CCLS.) and @pd>"20040909"	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:20
L3	10	("4966430" "6748125" "6526187" "3586872" "6393169" or "3617109" or "20030026513") and (soi gap waveguide thickness) and @pd>"20040909"	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:46
L4	1	"079668".ap.	US-PGPUB	OR	OFF	2005/04/12 16:45
L5	4	((US-3586872-$ or US-5987196-$ or US-3617109-$).did. or (US-20030040175-$ US-20040129949-$).did.) and gap	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:48
L7	7	("5502779" "4966430" "5987196") and (soi gap waveguide thickness) and @pd>"20040909"	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:47
L8	5	"737343".ap.	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:47
L9	4	L8 and (redirect$6 direct$3)	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:47
L10	7	7 not 5	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:48
L11	9	"hybrid circuit" and optical and electronic and optoelectronic and @pd>"20040909"	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:50
L12	5	light-coupling and butt-coupling and @pd>"20040909"	US-PGPUB; USPAT	OR	ON	2005/04/12 16:51
L13	4	tien-p$.in. and @pd>"20040909"	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:51
S5	81	"hybrid circuit" and optical and electronic and optoelectronic	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:50
S8	34	light-coupling and butt-coupling	US-PGPUB; USPAT	OR	ON	2005/04/12 16:51
S17	57	tien-p$.in.	US-PGPUB; USPAT	OR	OFF	2005/04/12 16:51
S40	21	Deliwala.in.	USPAT	OR	OFF	2005/04/06 19:06
S41	44	width near5 waveguide same SOI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:55

S42	44	width near5 waveguide same SOI and waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:58
S43	35	width near5 waveguide same SOI and waveguide and nm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:49
S45	17	S43 and Optronx	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:13
S51	29	S43 and (Optronx or "09859693" or "859693" or "859,693" or 09/859,693)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:49
S53	126	width near5 waveguide and SOI and waveguide and nm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:47
S54	82	S53 not (Optronx or "09859693" or "859693" or "859,693" or 09/859,693)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:51
S55	82	S54 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:30
S57	76	S54 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:42

S59	75	S57 and silicon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:43
S60	52	S53 and (evanescence evanescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:49
S61	29	S60 not S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:49
S62	23	S60 not (Optronx or "09859693" or "859693" or "859,693" or 09/859,693)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:51